



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	I	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/071,728	02/08/2002		Donald L. Schilling	I-2-72.4US	4679	
24374	7590	06/09/2004		EXAM	EXAMINER	
VOLPE A	ND KOE	NIG, P.C.	HSU, ALPUS			
DEPT. ICC UNITED PLAZA, SUITE 1600				ART UNIT	PAPER NUMBER	
30 SOUTH 17TH STREET				2665	**	
PHILADELPHIA, PA 19103				DATE MAILED: 06/09/2004	, 3	

Please find below and/or attached an Office communication concerning this application or proceeding.

fr

·							
•	Application No.	Applicant(s)					
	10/071,728	SCHILLING, DONALD L.					
Office Action Summary	Examiner	Art Unit					
	Alpus H. Hsu	2665					
The MAILING DATE of this communication appeared for Reply	pears on the cover sheet with the o	correspondence address					
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a rep - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailine earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be tir ly within the statutory minimum of thirty (30) day will apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	nely filed /s will be considered timely. Ithe mailing date of this communication. ED (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on	•						
·	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims		·					
 4) ☐ Claim(s) 1-8 is/are pending in the application. 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-8 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or 							
Application Papers							
9) The specification is objected to by the Examine	er.						
10) The drawing(s) filed on is/are: a) acc	cepted or b) objected to by the	Examiner.					
Applicant may not request that any objection to the	drawing(s) be held in abeyance. Se	e 37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E							
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat * See the attached detailed Office action for a list	ts have been received. ts have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	ion No ed in this National Stage					
Attachment(s)							
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 2. 	4) Interview Summary Paper No(s)/Mail Di 5) Notice of Informal F 6) Other:	r (PTO-413) ate Patent Application (PTO-152)					

Art Unit: 2665

- 1. The drawings are objected to under 37 CFR 1.83(a) because they fail to show the intermediate step of spread spectrum modulation of message-chip-code signal between steps 407 and 409, and the intermediate step of receiving the spread-spectrum-communications signal between the steps 411 and 413/415 as described in the specification. Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d). A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.
- 2. The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: The claimed "reference signal" as in claims 1, 2, 5 and 8 does not have proper antecedent basis in the specification disclosure.
- 3. Claims 1-8 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

The claimed features of "a spread spectrum communication method and system for producing a reference signal, producing a plurality of message signals, each having message data, combining the reference signal and the plurality of message signals as a combined signal, transmitting the combined signal as a combined spread spectrum signal, receiving the combined spread spectrum signal, detecting the reference signal within the received combined spread spectrum signal, recovering a carrier signal from the combined spread spectrum signal, and

Art Unit: 2665

recovering the message data of the plurality of message signals using the recovered carrier signal" were not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. To be more specific, according to the detailed description of Figures 3A and 4, at the transmitter, it is the generic-chip-code signal and a plurality of message-chip-code signals produced from message data synchronized to the generic-chip-code signal are generated. Message data are then processed with the message-chip-code signal to generate a spread-spectrum-processed signal using a spread-spectrum modulator. The spread-spectrum-processed signal is then combined with the generic-chip-code signal to form a combined generic-chip-code signal and spreadspectrum-processed signal to be transmitted on a carrier signal over the communication channel as a CDMA signal (see page 15, lines 5-13). At the receiver, it is the carrier signal recovered from generic-chip-signal within the received CDMA signal and the modulated data signal despreaded from the spread-spectrum-communications signal and synchronized with the recovered carrier signal to recover the message data by synchronous demodulation of the modulated data signal (see page 15, lines 14-18). None of the claimed inventions are corresponding to any part of the disclosure as indicated above. Therefore, all claims are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement since all claims contain subject matter which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention.

4. Claims 1-4 are rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential elements, such omission amounting to a gap between the elements. See MPEP

Page 3

Application/Control Number: 10/071,728 Page 4

Art Unit: 2665

§ 2172.01. The omitted element is: the spread spectrum processing means to produce the combined spread spectrum signal as in claim 1.

- 5. Claims 5-8 are rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential steps, such omission amounting to a gap between the steps. See MPEP § 2172.01. The omitted step is: the spread spectrum processing step to produce the combined spread spectrum signal as in claims 5.
- 6. Claims 1-8 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 1, line 7, claim 5, line 7, it is unclear as to how each of "the combined spread spectrum signal" are produced.

In claim 1, line 12, claim 2, line 3, claim 5, lines 11-12, claim 8, lines 2-3, each term of "the reference signal" should read as --the detected reference signal--.

7. Claims 1-8 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-5, 7, 8 and 6 of copending Application No. 10/072,080. Although the conflicting claims are not identical, they are not patentably distinct from each other because by producing a plurality of input message signals instead of a single input message signal, it would have been obvious to one of ordinary skill in the art to make the same invention as claimed from the copending Application No. 10/072,080.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Page 5

Application/Control Number: 10/071,728

Art Unit: 2665

8. The nonstatutory double patenting rejection is based on a judicially created doctrine. grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

- 9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 10. Claims 1, 2, 5 and 8 are rejected under 35 U.S.C. 103(a) as being unpatentable over COWART in U.S. Patent No. 4,979,183 in view of SCHILLING in U.S. Patent No. 5,228,056 (both cited by the applicant of record).

Referring to claim 1, COWART discloses a spread spectrum communication system comprising: means for producing a reference signal (24 and 39), means for producing a message signal having message data (21), means for combining the reference signal and the message signal as a combined signal (29), means for transmitting the combined signal as a combined spread spectrum signal (29), means for receiving the combined spread spectrum signal (28), means for detecting the reference signal within the received combined spread spectrum signal (61), and means for recovering the message data using the detected reference signal (38).

Art Unit: 2665

COWART differs from the claim in that it does not teach the plurality of message signals as the input signal, which is well known in the art and commonly applied in communications field. SCHILLING, for example, from the similar field of endeavor, discloses a spread spectrum communication system using plurality of message signals as the input signal (Figure 3), for data transmission. Therefore, it would have been obvious to a person with ordinary skill in the art at the time of the invention to incorporate the plurality of message signals as the input signal of SCHILLING into the system of COWART to achieve the advantage of expanding the communication bandwidth for data communication.

Referring to claim 2, COWART discloses means for recovering a carrier signal from the combined spread spectrum signal using the detected reference signal (32), wherein the message data recovering means uses the recovered carrier signal to recover the message data.

Referring to claim 5, COWART discloses a method for use in a spread spectrum communication system comprising the steps of: producing a reference signal (col. 7, lines 56-61, col. 9, lines 26-30), producing a message signal having message data (col. 6, lines 30-33), combining the reference signal and the message signal as a combined signal (col. 9, lines 63-65), transmitting the combined signal as a combined spread spectrum signal (col. 9, lines 63-65), receiving the combined spread spectrum signal (col. 8, lines 49-54), detecting the reference signal within the received combined spread spectrum signal (col. 8, lines 31-37), and recovering the message data using the detected reference signal (col. 8, lines 37-42).

COWART differs from the claim in that it does not teach the plurality of message signals as the input signal, which is well known in the art and commonly applied in communications field. SCHILLING, for example, from the similar field of endeavor, discloses a spread

Art Unit: 2665

spectrum communication system using plurality of message signals as the input signal (Figure 3), for data transmission. Therefore, it would have been obvious to a person with ordinary skill in the art at the time of the invention to incorporate the plurality of message signals as the input signal of SCHILLING into the system of COWART to achieve the advantage of expanding the communication bandwidth for data communication.

Referring to claim 8, COWART discloses the step of recovering a carrier signal from the combined spread spectrum signal using the detected reference signal (col. 8, lines 31-37), wherein the message data is recovered uses the recovered carrier signal.

COWART in U.S. Patent no. 4,979,183 in view of SCHILLING in U.S. patent No. 5,228,056, as applied to claims 1 and 5 above, and further in view of GILHOUSEN et al. in U.S. Patent No. 5,101,501 (all cited by the applicant of record).

Referring to claims 3 and 6, COWART in view of SCHILLING differs from the claims in that it does not teach the combined spread spectrum signal is in a code division multiple access format, which is well known in the art and commonly applied in communications field.

GILHOUSEN et al., for example, from the similar field of endeavor, discloses a spread spectrum signal in a code division multiple access format (col. 3, line 45 to col. 4, line3) for data transmission. Therefore, it would have been obvious to a person with ordinary skill in the art at the time of the invention to incorporate the specific spread spectrum signal in a code division multiple access format of GILHOUSEN et al. into the system and method of COWART in view of SCHILLING to achieve the advantage of CDMA communication for the purpose of increasing the system performance.

Application/Control Number: 10/071,728 Page 8

Art Unit: 2665

Referring to claims 4 and 7, COWART in view of SCHILLING differs from the claims in that it does not teach the uses of base station and mobile station for transmitting and receiving the combined spread spectrum signal, which is also well known in the art and commonly applied in wireless communications field. GILHOUSEN et al., for example, from the similar field of endeavor, discloses the uses of base station and mobile station for transmitting and receiving the spread spectrum signal in a code division multiple access format (col. 3, line 45 to col. 4, line3) for data communication between data communication devices. Therefore, it would have been obvious to a person with ordinary skill in the art at the time of the invention to incorporate the uses of base station and mobile station for transmitting and receiving the spread spectrum signal in a code division multiple access format of GILHOUSEN et al. into the system and method of COWART in view of SCHILLING to achieve the advantage of wireless communication for the purpose of improving the system capability and adoptability.

12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Mifflin et al., Osborne, Gutleber, Simpson et al., Cowart '180 & '683, Briskman, and .

Ling are all cited to show the common feature of spread spectrum communication system utilizing code generator, modulator/demodulator and combiner/divider and transmitter/receiver similar to the claimed invention.

13. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alpus H. Hsu whose telephone number is (703)305-4377. The examiner can normally be reached on M-F (5:30-3:00) First Friday Off.

Art Unit: 2665

Page 9

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huy D. Vu can be reached on (703)308-6602. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AHH

Alpus H. Hsu Primary Examiner Art Unit 2665